

MCR SERIES



CRANE MOUNTED HIGH BAY LED LIGHTS


MCR SERIES

LED AREA LIGHTS FOR OVERHEAD CRANES

ADJUSTABLE MOUNTING BRACKET
SAFETY LANYARD
ONBOARD WATTAGE SELECTOR
INDOOR/OUTDOOR RATED - IP65
-40C - +55C TEMPERATURE RATING
CAST ALUMINUM WITH POLYCARBONATE LENS
BLACK POWDER COATED FINISH
6KV BUILT IN SURGE PROTECTION
5000K
140LPW



Model	Wattage	Lumens	Voltage
MCR-(60-80-100W)-UNV-3G	60-80-100W	8,830, 11,360, 14,380	110-277VAC
MCR-(110-130-150W)-UNV-3G	110-130-150W	16,480, 18,590, 21,480	110-277VAC
MCR-(200-220-240W)-UNV-3G	200-220-240W	29,980, 31,020, 34,030	110-277VAC
MCR-(110-135-150W)-480V-3G	110-135-150W	16,070, 19,980, 20,610	277-480VAC
MCR-(165-180-200W)-480V-3G	165-180-200W	23,740, 25,020, 27,950	277-480VAC




Model	Dimensions		Replaces
	A	B	
MCR-(60-80-100W)-UNV-3G	11.4"	8"	250W HID
MCR-(110-130-150W)-UNV-3G	11.4"	8"	400W HID
MCR-(200-220-240W)-UNV-3G	13.7"	9.2"	750W HID
MCR-(110-135-150W)-480V-3G	11.4"	9.2"	400W HID
MCR-(165-180-200W)-480V-3G	13.7"	9.2"	600W HID

EZ-LED LIGHT KITS FOR BRIDGE CRANES

CHOICE OF LIGHTS

1. Standard duty MCR Series 100-277VAC 150W - 21,480 lumens
2. Standard duty MCR Series 277-480VAC 150W - 20,610 lumens
3. Standard duty MCR Series 100-277VAC 240W - 34,030 lumens
4. Standard duty MCR Series 277-480VAC 200W - 27,950 lumens
5. Future heavy duty option
6. Future heavy duty option



ORDERING CODE TEMPLATE AND EXAMPLE

EZLED - [SUPPLY VOLTAGE] - [# OF LIGHTS] - [LIGHT TYPE] - [J-BOX TO TC1] - [TC1 TO LED1] - [TC1 TO TC2] - [TC2 TO LED2] - [TC2 TO TC3] - [TC3 TO LED3] - [TC3 TO LED4]

EZLED - 460 - 4 - 4 - 10 - 4 - 15 - 4 - 15 - 4 - 10

EXAMPLE BOM

1. QTY 1 J-BOX W/ CIRCUIT BREAKER AND CABLE GLANDS
2. QTY 4 200W 277-480VAC LIGHTS
3. QTY 3 T-CONNECTORS
4. QTY 4 STRAIGHT CONNECTORS
5. MINIMUM OF 71 FEET OF 16AWG 3C SOOW CABLE - 10' FOR J-BOX TO TC1, 4' FOR TC1 TO LED1, 15' FOR TC1 TO TC2, 4' FOR TC2 TO LED2, 15' FOR TC2 TO TC3, 4' FOR TC3 TO LED3, 10' FOR TC3 TO LED4 (LENGTHS INCLUDE EXTRA FOR STRIPPING/TERMINATING)